
Montana Audubon Raptor ID




Amy Seaman, Director of Policy & Science; aseaman@mtaudubon.org





As widespread, apex predators, raptors are useful indicators of ecosystem health!





Head-on Profiles of Selected Species Ferngmon Hawk gliding Red-tailed Hawk souring Red-tailed Hawk shallow glide Rough-logged Hawk gliding Red-tailed Hawk steep glide Swainson's Hawk gliding Red-tailed Hawk gliding Acopiter gliding Red-shouldered Hawk gliding. Falcon gliding Broad-winged Hawk gliding Black Volture waring Turkey Vulture souring Osprev gliding Northern Harrier gliding. Bald Eagle gliding Golden Eagle gliding.


head – on Soaring gliding

wing - on



Tail - away





















Red-tailed Hawk adult



broad, strong wings typically of a buteo







Red-tailed Hawk juvenile




Red-tailed Hawk juvenile
































Swainson's Hawk juvenile















Light

Light


Light



















Broad-winged Hawk (spring & fall migrant) crow-sized






Red-tailed Hawk color morphs light, intermediate (rufous), and dark






Harlan's Hawk







Krider's Hawk




Krider's Hawk











Dark morph Ferrugs are rare!




contrasting leg color vanishes




adult tail color, though dark






Light morphs




Dark morphs



Aberrant or luecistic feathers - Red Tail



























Sharp-shinned: rounded head

Coop: rectangular head




Cooper 's Hawk




adults

Sharp-shinned Hawk

juveniles




Sharpshinned





Cooper's






Sharp-shinned Hawk




Cooper's Hawk







Peregrine Falcon (juvenile)





















Prairie Falcon (juvenile)

























American Kestrel (female/juvenile) (adult female)









Northern Harrier (adult male) - the grey ghost



white uppe tail coverts



Northern Harrier (adult female)





rufous wash to chest and underwing coverts

Kate Davis photo°









Osprey: Flying 'M' in the sky!














Strong dihedral!












3.3-4 years









Golden Eagle



Golden Eagle (Adult)
















Eagles



Golden Eagle



Bald Eagle





Bald Eagle - Basic I



Golden Eagle - juvenile







Golden Eagle gliding



Amy Seaman, Director of Policy & Conservation; aseaman@mtaudubon.org

Literature and images cited

This document is for education only and not redistribution

Dunne, Pete., Sibley, David., Sutton, Clay. Hawks in Flight. Houghton Mifflin, 1988.

Wheeler, Brian., Clark, William S.A field guide to Hawks of North America. Princeton University Press. 2003.

Images by:

Davis, Kate

Dubois, Kristi

Hisgett, Tony

Martinka, Bob

McCullough, Mark

Palmer, Rob - https://www.falconphotos.com/Galleries/Birds-of-Prey

Peruaves.org - http://www.peruaves.org/bird-morphology/

Seaman, Amy

Steele, Bob - https://www.bobsteelephoto.com/